CAPTER SCENETHAND DESCRIPATION CLASSFIELD MISSAGE (MISSAGE COPY ISSUED CLASSFIELD MISSAGE (MISSAGE COPY ISSUED CLASSFIELD MISSAGE CLASSF			TORM 3020A Approved For Rele	100 asic 2 000/0	06/14 : CIA-RDP78-0650	05 A00 0700100	0010-8
25X1A		I I	ABLE SECRETARIAT DISSE	MINATION	CLASSIFIED MESSAGE TOTAL	u Copies / 0	
25X1A			CASCA UNIT NOTIFIED		SHOP THE CALLO	GROUP 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5
25X1A		(^	EVANCE COPY [] ISSUED	SLOTTED	REPRODUCTION OF THIS COPY F	CLASSIFICATION 3	RE 3 AE
25X1A 25X1A 25X1A 25X1A 25X1A REFS A 6684	25X1A	\	Y: AT:	Z			
25X1A 25X1A 25X1A 25X1A 25X1A 25X1A REFS A C 11 (NOT SENT D 33 (NOT SENT 1. RE REF A AIR CONDITIONERS 115 VOLT, 50 CYCLE, 10,000 BIU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED EXD FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. STOCKAGE VIEW LIMITED APPLICATION PER REFS C YOUN REVIEW YOUR REQUIREMENT; TEM 1 REQN 770-70-52801. DO SERVICE OF THE CONSIDERS OF THE		DI	DEM BY 4		(=1		
25X1A		(AC	A	LE, VR	FILE RID RETURN TO		
DIRECTOR DIRECTOR DIRECTOR JORG 69 EL 9 8 2 0 9 25X1A 25X1A REFS A S684 (N 96/7%) B 54 (NOT SENT C 11 (NOT SENT D 33 (NOT SENT 1. RE REF A AIR CONDITIONERS 115 VOLT, 50 CYCLE, 10,000 BTU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED END FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SUBDEST D YOUN REVIEW YOUR PERMITENCENT; TEM 1 REQN 770-70-50801. DC SEX APPROVAL COMMENT COMMENT COMMENT COMMENT COMMENT COMMENT COMMENT COMMENT COMENT COMMENT		r e Ac			7		
25X1A 25X1A REFS A 6684 6884 6884 C 11 (NOT SENT 1. RE REF A AIR CONDITIONERS 115 VOLT, 50 CYCLE, 10,000 BTU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED END FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. YOUN REVIEW YOUR RESULF FOR THE AIR I REQUITED TO	25X1A	<i>(**</i>	SECRET Ø5	1653Z DE	C 69 CITE LOGISTICS	3329	
25X1A REFS A 6684 696778 1. RE REF A AIR CONDITIONERS 115 VOLT, 50 CYCLE, 10,000 BTU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF 8, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED END FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SUBGREST D YOUN REVIEW YOUR RESULTEMENT; TEM 1 REQN 770-70-50801. DE SAC SAC GRE 25X1A 25X1A 25X1A 25X1A 25X1A 3A CRE 3B CR	0EV4.4				DIRECTOR		
25X1A B 6884 C 11 (NOT SENT D 33 (NOT SENT 1. RE REF A AIR CONDITIONERS 115 VOLT, 50 CYCLE, 10,000 BTU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED ERD FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SUBGEST D YOUR REVIEW YOUR RECUIREMENT; TEM 1 REQN 770-70-50801. DC EX. SAC. C/RE ODMORREMENT ODMOR		(`		5.Dac 69 m 9.8.2.0 c
C 11 (NOT SENT D 33 (NOT SENT 1. RE REF A AIR CONDITIONERS 115 VOLT, 50 CYCLE, 10,000 BTU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED ERD FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SUBGEST D YOUN REVIEW YOUR FEGUIREMENT; TEM 1 REQN 770-70-50801. DC EX SA C/RE 30 APPROVAL COMMENT OBCURRENCE SHORMATION PROPROMATION PROPREMATION PROPREME PROPREMATION PROPREME PROPREMENTATION PROPREMENTATION	25X IA	ŕ	REFS A	6684 (496178		H
D 33 (NOT SENT 1. RE REF A AIR CONDITIONERS 115 VOLT, 50 CYCLE, 10,000 BTU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED END FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D TOUR REVIEW YOUR FEOUR FEOUR FORM TO	25X1A	,	В	54 (NOT S	SENT		3,
1. RE REF A AIR CONSITIONERS 115 VOLT, 50 CYCLE, 10,000 BTU AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED ERO FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SUBGEST D YOUN REVIEW YOUR AFANIREMENT, TEM 1 REQN 770-70-50801. DC EX SA ORE ORE ORE ORE ORE ORE ORE OR		C	C	11 (NOT S	ENT		
AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED ERD FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SLURGEST D YOUN REVIEW YOUR FEOUISEMENT; TEM 1 REQN 770-70-50801. DC EX SA C/RE 30 APPROVAL COMMENT ORCURRENCE SECONDATION ORCURRENCE O		f.			6		
AVAILABLE FROM ADMIRAL AND GENERAL ELECTRIC ONLY. ADVISE SOONEST MAKE PREFERRED SINCE BOTH MFGRS CURRENTLY ON STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D YOUR REVIEW YOUR REQUIREMENT; TEM 1 REQN 770-70-50801. DC EX. SA. C/RE 25X1A. APPROVAL COMMENT ONCURRENCE STOCKMATION ONCURRENCE STOCKMATION COMMENT ONCURRENCE STOCKMATION COMMENT ONCURRENCE STOCKMATION COMMENT ONCURRENCE STOCKMATION COMMENT ONCURRENCE STOCKMATION ONCURRENCE STOCKMATION COMMENT ONCURRENCE STOCKMATION COMMENT ONCURRENCE STOCKMATION ONCURR		,	1. RE REF	A AIR CON	SITIONERS 115 VOLT	, 50 CYCLE,	10,000 BTU
STRIKE, WITH SMALL ON HAND QUANTITIES SUBJECT TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED ERO FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C YOUR REVIEW YOUR FEOUREMENT; TEM 1 REQN 770-70-50801. DC EX SA C/RE RO C/RE RO APPROVAL COMMENT OCCURRENCE TO PRIOR SALE. 2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED ERO FOR AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECAST D C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D C AND D FORECAST D C AND D FORECAST D C AND D FORECAST D C AN		(AVAILABLE FROM	ADMIRAL	AND GENERAL ELECTRI	CONLY. AD	
2. RE REF B, 115 VOLT 50 CYCLE UNITS NOT CONSIDERED ERO FOR STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SUGGEST D YOUR REVIEW YOUR REQUIREMENT; TEM 1 REQN 770-70-50801. DC SECRET 25X1A. 25X1A. APPROVAL COMMENT ONCURRENCE SECRET APPROVAL COMMENT ONCURRENCE SECRET COMMENT ONCURRENCE SECRETARY ONCURRENCE SE		(SOONEST MAKE PR	REFERRED	SINCE BOTH MFGRS CL	JRRENTLY ON	
STOCKAGE VIEW LIMITED APPLICATION PER REFS C AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. YOUN REVIEW YOUR FEOUREMENT; TEM 1 REQN 770-70-50801. DC EX SAC SA C/RE 30 APPEOVAL COMMENT OACURRENGE GEFORMATION REFARE REPLY EXEMPTED OF THE COMMENT OACURE OF THE COMMENT OF THE COMMENT			STRIKE, WITH SM	IALL ON H	AND QUANTITIES SUBJ	ECT TO PRIO	R SALE.
AND D FORECASTS FOR THREE AND FIVE EACH RESPECTIVELY. SURGEST D YOUR REVIEW YOUR REQUIREMENT; TEM 1 REQN 770-70-50801. DC SECRET 25X1A APPROVAL COMMENT OACUREROUS FROMMENT OACUREROUS FROMMENT OACUREROUS FROMMIND PREPARE REPLY	25X1A	<u>C</u> .					
YOUR REVIEW YOUR REQUIREMENT; TEM 1 REQN 770-70-50801. DC SECRET 25X1A APPEOVAL GOMOGENT OMCURRENCE: FOR THREE AND FIVE EACH RESPECTIVELY. SUBGEST D C EX SA C/RE RO APPEOVAL GOMOGENT OMCURRENCE: GEORGATION APPEARE REPLY CHECKST D C EX SA C/RE RO APPEOVAL GEORGATION CREPARE REPLY CHECKST D C EX SA C/RE RO APPEOVAL GEORGATION CREPARE REPLY CHECKST D C C C C EX SA C/RE RO APPEOVAL GEORGATION CREPARE REPLY CHECKST D C C C C C C C C C C C C C							
SECRET SAC SA C/RE RO APPROVAL COMMENT COACURRENCE THEORY COMMENT COACURENCE THEORY CERTURE COMMENT COACURRENCE THEORY CERTURE COMMENT COACURRENCE THEORY CERTURE COMMENT COACURRENCE THEORY CERTURE COACURRENCE THEORY CERTURE COACURRENCE THEORY COACURRENCE THE		<u></u> .					
25X1A. J C/RE RO APPROVAL COMMENT ONGURRENCE FORMATION CREPARE REPLY COMPARIN		(:		R ÆFÖUIRI	MENT TEM 1 REQN 7	70-70-50801	DC EX
25X1A		C)	SECRET				SAC
COMMENT ONCURRENCE OFFINATION CREPARE REPLY CHARLES	25X1/	À			•		C/RE
COMMENT ONCURRENCE OFFINATION CREPARE REPLY CHARLES	ť	0				 	28
ONCURRENCH OFFORMATION CHEPARE REPLY CHURK	(the first contract the same of
TANIKO .							FORMATION
	(911 . •				·	PETERN